

# Contents

Foreword	xxiii
Preface	xxv
About the Authors	xxxi
<b>Part I: Network Routing: Basics and Foundations</b>	<b>1</b>
<b>1 Networking and Network Routing: An Introduction</b>	<b>2</b>
1.1 Addressing and Internet Service: An Overview	4
1.2 Network Routing: An Overview	5
1.3 IP Addressing	7
1.3.1 Classful Addressing Scheme	8
1.3.2 Subnetting/Netmask	9
1.3.3 Classless Interdomain Routing	10
1.4 On Architectures	11
1.5 Service Architecture	12
1.6 Protocol Stack Architecture	13
1.6.1 OSI Reference Model	13
1.6.2 IP Protocol Stack Architecture	14
1.7 Router Architecture	19
1.8 Network Topology Architecture	20
1.9 Network Management Architecture	21
1.10 Public Switched Telephone Network	21
1.11 Communication Technologies	22
1.12 Standards Committees	24
1.12.1 International Telecommunication Union	24
1.12.2 Internet Engineering Task Force	25
1.12.3 MFA Forum	25
1.13 Last Two Bits	25
1.13.1 Type-Length-Value	25
1.13.2 Network Protocol Analyzer	26

1.14	Summary	26
	Further Lookup	27
	Exercises	27
<b>2</b>	<b>Routing Algorithms: Shortest Path and Widest Path</b>	<b>30</b>
2.1	Background	31
2.2	Bellman–Ford Algorithm and the Distance Vector Approach	33
	2.2.1 Centralized View: Bellman–Ford Algorithm	33
	2.2.2 Distributed View: A Distance Vector Approach	36
2.3	Dijkstra’s Algorithm	38
	2.3.1 Centralized Approach	38
	2.3.2 Distributed Approach	40
2.4	Comparison of the Bellman–Ford Algorithm and Dijkstra’s Algorithm	42
2.5	Shortest Path Computation with Candidate Path Caching	43
2.6	Widest Path Computation with Candidate Path Caching	45
2.7	Widest Path Algorithm	47
	2.7.1 Dijkstra-Based Approach	47
	2.7.2 Bellman–Ford-Based Approach	49
2.8	$k$ -Shortest Paths Algorithm	49
2.9	Summary	51
	Further Lookup	53
	Exercises	53
<b>3</b>	<b>Routing Protocols: Framework and Principles</b>	<b>56</b>
3.1	Routing Protocol, Routing Algorithm, and Routing Table	57
3.2	Routing Information Representation and Protocol Messages	59
3.3	Distance Vector Routing Protocol	60
	3.3.1 Conceptual Framework and Illustration	60
	3.3.2 Why Timers Matter	66
	3.3.3 Solutions	70
	3.3.4 Can We Avoid Loops?	74
	3.3.5 Distance Vector Protocol Based on Diffusing Computation with Coordinated Update	74
3.4	Link State Routing Protocol	82
	3.4.1 Link State Protocol: In-Band Hop-by-Hop Disseminations	83
	3.4.2 Link State Protocol: In-Band Based on End-to-End Session	91
	3.4.3 Route Computation	92
3.5	Path Vector Routing Protocol	93
	3.5.1 Basic Principle	93
	3.5.2 Path Vector with Path Caching	97
3.6	Link Cost	102
	3.6.1 ARPANET Routing Metrics	102
	3.6.2 Other Metrics	103

3.7	Summary	104
	Further Lookup	105
	Exercises	105
<b>4</b>	<b>Network Flow Modeling</b>	<b>108</b>
4.1	Terminologies	109
4.2	Single-Commodity Network Flow	110
4.2.1	A Three-Node Illustration	110
4.2.2	Formal Description and Minimum Cost Routing Objective	111
4.2.3	Variation in Objective: Load Balancing	114
4.2.4	Variation in Objective: Average Delay	116
4.2.5	Summary and Applicability	117
4.3	Multicommodity Network Flow: Three-Node Example	118
4.3.1	Minimum Cost Routing Case	118
4.3.2	Load Balancing	123
4.3.3	Average Delay	125
4.4	Multicommodity Network Flow Problem: General Formulation	128
4.4.1	Background on Notation	129
4.4.2	Link-Path Formulation	130
4.4.3	Node-Link Formulation	135
4.5	Multicommodity Network Flow Problem: Non-Splittable Flow	137
4.6	Summary	138
	Further Lookup	139
	Exercises	139
	<b>Part II: Routing in IP Networks</b>	<b>141</b>
<b>5</b>	<b>IP Routing and Distance Vector Protocol Family</b>	<b>142</b>
5.1	Routers, Networks, and Routing Information: Some Basics	143
5.1.1	Routing Table	143
5.1.2	Communication of Routing Information	146
5.2	Static Routes	146
5.3	Routing Information Protocol, Version 1 (RIPv1)	147
5.3.1	Communication and Message Format	147
5.3.2	General Operation	149
5.3.3	Is RIPv1 Good to Use?	150
5.4	Routing Information Protocol, Version 2 (RIPv2)	150
5.5	Interior Gateway Routing Protocol (IGRP)	153
5.5.1	Packet Format	153
5.5.2	Computing Composite Metric	154
5.6	Enhanced Interior Gateway Routing Protocol (EIGRP)	157
5.6.1	Packet Format	157
5.7	Route Redistribution	160
5.8	Summary	161

Further Lookup	163
Exercises	164
<b>6 OSPF and Integrated IS-IS</b>	<b>166</b>
6.1 From a Protocol Family to an <i>Instance</i> of a Protocol	167
6.2 OSPF: Protocol Features	168
6.2.1 Network Hierarchy	168
6.2.2 Router Classification	168
6.2.3 Network Types	169
6.2.4 Flooding	170
6.2.5 Link State Advertisement Types	171
6.2.6 Subprotocols	171
6.2.7 Routing Computation and Equal-Cost Multipath	172
6.2.8 Additional Features	176
6.3 OSPF Packet Format	177
6.4 Examples of Router LSAs and Network LSAs	183
6.5 Integrated IS-IS	185
6.5.1 Key Features	186
6.6 Similarities and Differences Between IS-IS and OSPF	189
6.7 Summary	191
Further Lookup	191
Exercises	191
<b>7 IP Traffic Engineering</b>	<b>194</b>
7.1 Traffic, Stochasticity, Delay, and Utilization	195
7.1.1 What Is IP Network Traffic?	195
7.1.2 Traffic and Performance Measures	195
7.1.3 Characterizing Traffic	196
7.1.4 Average Delay in a Single Link System	197
7.1.5 Nonstationarity of Traffic	199
7.2 Applications' View	200
7.2.1 TCP Throughput and Possible Bottlenecks	200
7.2.2 Bandwidth-Delay Product	201
7.2.3 Router Buffer Size	202
7.3 Traffic Engineering: An Architectural Framework	203
7.4 Traffic Engineering: A Four-Node Illustration	204
7.4.1 Network Flow Optimization	204
7.4.2 Shortest Path Routing and Network Flow	206
7.5 Link Weight Determination Problem: Preliminary Discussion	211
7.6 Duality of the MCNF Problem	213
7.6.1 Illustration of Duality Through a Three-Node Network	213
7.6.2 General Case: Minimum Cost Routing	215
7.6.3 Minimization of Maximum Link Utilization	219
7.6.4 A Composite Objective Function	221
7.6.5 Minimization of Average Delay	222

7.7	Illustration of Link Weight Determination Through Duality	226
7.7.1	Case Study: I	226
7.7.2	Case Study: II	231
7.8	Link Weight Determination: Large Networks	232
7.9	Summary	234
	Further Lookup	235
	Exercises	235
<b>8</b>	<b>BGP</b>	<b>238</b>
8.1	BGP: A Brief Overview	239
8.2	BGP: Basic Terminology	242
8.3	BGP Operations	243
8.3.1	Message Operations	243
8.3.2	BGP Timers	244
8.4	BGP Configuration Initialization	245
8.5	Two Faces of BGP: External BGP and Internal BGP	247
8.6	Path Attributes	250
8.7	BGP Decision Process	254
8.7.1	BGP Path Selection Process	254
8.7.2	Route Aggregation and Dissemination	256
8.7.3	Recap	257
8.8	Internal BGP Scalability	257
8.8.1	Route Reflection Approach	258
8.8.2	Confederation Approach	261
8.9	Route Flap Dampening	262
8.10	BGP Additional Features	265
8.10.1	Communities	265
8.10.2	Multiprotocol Extension	265
8.11	Finite State Machine of a BGP Connection	266
8.12	Protocol Message Format	270
8.12.1	Common Header	270
8.12.2	Message Type: OPEN	270
8.12.3	Message Type: UPDATE	272
8.12.4	Message Type: NOTIFICATION	274
8.12.5	Message Type: KEEPALIVE	274
8.12.6	Message Type: ROUTE-REFRESH	274
8.12.7	Path Attribute in UPDATE message	276
8.13	Summary	277
	Further Lookup	278
	Exercises	278
<b>9</b>	<b>Internet Routing Architectures</b>	<b>280</b>
9.1	Internet Routing Evolution	281
9.2	Addressing and Routing: Illustrations	283
9.2.1	Routing Packet: Scenario A	285

9.2.2	Routing Packet: Scenario B	286
9.2.3	Routing Packet: Scenario C	288
9.3	Current Architectural View of the Internet	290
9.3.1	Customers and Providers, Peering and Tiering, and Exchange Points	291
9.3.2	A Representative Architecture	294
9.3.3	Customer Traffic Routing: A Geographic Perspective	297
9.3.4	Size and Growth	298
9.4	Allocation of IP Prefixes and AS Number	301
9.5	Policy-Based Routing	304
9.5.1	BGP Wedgies	306
9.6	Point of Presence	307
9.7	Traffic Engineering Implications	309
9.8	Internet Routing Instability	311
9.9	Summary	312
	Further Lookup	312
	Exercises	313
 <b>Part III: Routing in the PSTN</b>		<b>315</b>
<b>10</b>	<b>Hierarchical and Dynamic Call Routing in the Telephone Network</b>	<b>316</b>
10.1	Hierarchical Routing	317
10.1.1	Basic Idea	317
10.1.2	A Simple Illustration	318
10.1.3	Overall Hierarchical Routing Architecture	320
10.1.4	Telephone Service Providers and Telephone Network Architecture	321
10.2	The Road to Dynamic Routing	322
10.2.1	Limitation of Hierarchical Routing	322
10.2.2	Historical Perspective	323
10.2.3	Call Control and Crankback	325
10.2.4	Trunk Reservation	326
10.2.5	Where Does Dynamic Routing Fit with Hierarchical Routing?	326
10.2.6	Mixing of OCC and PCC	327
10.2.7	Summary	327
10.3	Dynamic Nonhierarchical Routing	328
10.4	Dynamically Controlled Routing	330
10.5	Dynamic Alternate Routing	333
10.6	Real-Time Network Routing	334
10.7	Classification of Dynamic Call Routing Schemes	336
10.8	Maximum Allowable Residual Capacity Routing	337
10.9	Dynamic Routing and Its Relation to Other Routing	339
10.9.1	Dynamic Routing and Link State Protocol	339
10.9.2	Path Selection in Dynamic Routing in Telephone Networks and IP Routing	339
10.9.3	Relation to Constraint-Based Routing	340

10.10	Recap	340
	Further Lookup	341
	Exercises	342
<b>11</b>	<b>Traffic Engineering in the Voice Telephone Network</b>	<b>344</b>
11.1	Why Traffic Engineering?	345
11.2	Traffic Load and Blocking	346
	11.2.1 Computing Erlang-B Loss Formula	349
11.3	Grade-of-Service and Trunk Occupancy	350
11.4	Centi-Call Seconds and Determining Offered Load	352
11.5	Economic CCS Method	354
11.6	Network Controls for Traffic Engineering	356
	11.6.1 Guidelines on Detection of Congestion	357
	11.6.2 Examples of Controls	357
	11.6.3 Communication of Congestion Control Information	361
	11.6.4 Congestion Manifestation	361
11.7	State-Dependent Call Routing	362
11.8	Analysis of Dynamic Routing	363
	11.8.1 Three-Node Network	364
	11.8.2 <i>N</i> -Node Symmetric Network	366
	11.8.3 <i>N</i> -Node Symmetric Network with Trunk Reservation	367
	11.8.4 Illustration Without and with Trunk Reservation	369
11.9	Summary	371
	Further Lookup	371
	Exercises	372
<b>12</b>	<b>SS7: Signaling Network for Telephony</b>	<b>374</b>
12.1	Why SS7?	375
12.2	SS7 Network Topology	375
	12.2.1 Node Types	376
	12.2.2 SS7 Links	376
12.3	Routing in the SS7 Network	378
12.4	Point Codes: Addressing in SS7	380
	12.4.1 North American Point Code	380
	12.4.2 ITU Point Code	381
12.5	Point Code Usage	382
	12.5.1 Address Assignment	382
	12.5.2 Relationship Between a Telephone Switch and an SSP	382
	12.5.3 Interworking of SS7 Networks with Different Addressing Schemes	383
12.6	SS7 Protocol Stack	384
	12.6.1 Lower-Layer Protocols: MTP1, MTP2, and MTP3	384
	12.6.2 Upper-Layer Protocols	388
12.7	SS7 Network Management	388
12.8	ISUP and Call Processing	389
	12.8.1 Called/Calling Party Number Format	395

12.9	ISUP Messages and Trunk Management	396
12.10	ISUP Messages and Dynamic Call Routing	396
12.10.1	Functionalities	397
12.10.2	Illustration	398
12.11	Transaction Services	400
12.11.1	SCCP: Signaling Connection Control Part	400
12.11.2	TCAP: Transaction Capabilities Application Part	401
12.12	SS7 Link Traffic Engineering	402
12.12.1	SS7 Network Performance Requirements	403
12.13	Summary	404
	Further Lookup	404
	Exercises	405
<b>13</b>	<b>Public Switched Telephone Network: Architecture and Routing</b>	<b>406</b>
13.1	Global Telephone Addressing	407
13.1.1	National Numbering Plan	409
13.1.2	Dialing Plan	412
13.2	Setting Up a Basic Telephone Call and Its Steps	415
13.3	Digit Analysis versus Translation	417
13.4	Routing Decision for a Dialed Call	417
13.5	Call Routing: Single National Provider Environment	417
13.5.1	Handling Dialed Numbers	418
13.5.2	Illustration of Call Routing	419
13.5.3	Some Observations	423
13.6	Call Routing: Multiple Long-Distance Provider Case	424
13.6.1	Illustration of Call Routing	427
13.6.2	Impact on Routing	430
13.7	Multiple-Provider Environment: Multiple Local Exchange Carriers	432
13.8	Routing Decision at an Intermediate TDM Switch	433
13.9	Number Portability	434
13.9.1	Introduction	434
13.9.2	Portability Classification	435
13.10	Nongeographic or Toll-Free Number Portability	436
13.10.1	800-Number Management Architecture	437
13.10.2	Message and Call Routing	438
13.11	Fixed/Mobile Number Portability	439
13.11.1	Portability Architecture	439
13.11.2	Routing Schemes	442
13.11.3	Comparison of Routing Schemes	446
13.11.4	Impact on IAM Message	446
13.11.5	Number Portability Implementation	448
13.11.6	Routing in the Presence of Transit Network	448
13.12	Multiple-Provider Environment with Local Number Portability	451

13.13 Summary	453
Further Lookup	454
Exercises	454
<b>Part IV: Router Architectures</b>	<b>457</b>
<b>14 Router Architectures</b>	<b>458</b>
14.1 Functions of a Router	459
14.1.1 Basic Forwarding Functions	460
14.1.2 Complex Forwarding Functions	460
14.1.3 Routing Process Functions	461
14.1.4 Routing Table versus Forwarding Table	462
14.1.5 Performance of Routers	463
14.2 Types of Routers	463
14.3 Elements of a Router	465
14.4 Packet Flow	468
14.4.1 Ingress Packet Processing	468
14.4.2 Egress Packet Processing	469
14.5 Packet Processing: Fast Path versus Slow Path	470
14.5.1 Fast Path Functions	471
14.5.2 Slow Path Operations	474
14.6 Router Architectures	475
14.6.1 Shared CPU Architectures	476
14.6.2 Shared Forwarding Engine Architectures	479
14.6.3 Shared Nothing Architectures	481
14.6.4 Clustered Architectures	484
14.7 Summary	485
Further Lookup	485
Exercises	486
<b>15 IP Address Lookup Algorithms</b>	<b>488</b>
15.1 Impact of Addressing on Lookup	489
15.1.1 Address Aggregation	490
15.2 Longest Prefix Matching	492
15.2.1 Trends, Observations, and Requirements	493
15.3 Naïve Algorithms	495
15.4 Binary Tries	495
15.4.1 Search and Update Operations	496
15.4.2 Path Compression	498
15.5 Multibit Tries	500
15.5.1 Prefix Transformations	500
15.5.2 Fixed Stride Multibit Trie	502
15.5.3 Search Algorithm	503
15.5.4 Update Algorithm	504

15.5.5	Implementation	505
15.5.6	Choice of Strides	506
15.5.7	Variable Stride Multibit Trie	506
15.6	Compressing Multibit Tries	507
15.6.1	Level Compressed Tries	507
15.6.2	Lulea Compressed Tries	510
15.6.3	Tree Bitmap	514
15.7	Search by Length Algorithms	519
15.7.1	Linear Search on Prefix Lengths	520
15.7.2	Binary Search on Prefix Lengths	520
15.8	Search by Value Approaches	522
15.8.1	Prefix Range Search	522
15.9	Hardware Algorithms	525
15.9.1	RAM-Based Lookup	525
15.9.2	Ternary CAM-Based Lookup	526
15.9.3	Multibit Tries in Hardware	528
15.10	Comparing Different Approaches	530
15.11	Summary	531
	Further Lookup	531
	Exercises	532
<b>16</b>	<b>IP Packet Filtering and Classification</b>	<b>534</b>
16.1	Importance of Packet Classification	535
16.2	Packet Classification Problem	537
16.2.1	Expressing Rules	538
16.2.2	Performance Metrics	538
16.3	Packet Classification Algorithms	540
16.4	Naïve Solutions	540
16.5	Two-Dimensional Solutions	541
16.5.1	Hierarchical Tries: Trading Time for Space	541
16.5.2	Set Pruning Tries: Trading Space for Time	544
16.5.3	Grid-of-Tries: Optimizing Both Space and Time	545
16.6	Approaches for $d$ Dimensions	548
16.6.1	Geometric View of Classification: Thinking Differently	549
16.6.2	Characteristics of Real-Life Classifiers: Thinking Practically	551
16.7	Extending Two-Dimensional Solutions	552
16.7.1	Naïve Extensions	552
16.7.2	Native Extensions	553
16.8	Divide and Conquer Approaches	555
16.8.1	Lucent Bit Vector	556
16.8.2	Aggregated Bit Vector	558
16.8.3	Cross-Producting	560
16.8.4	Recursive Flow Classification	562
16.9	Tuple Space Approaches	568

16.9.1	Tuple Space Search	569
16.9.2	Tuple Space Pruning	570
16.10	Decision Tree Approaches	571
16.10.1	Hierarchical Intelligent Cuttings	572
16.10.2	HyperCuts	575
16.11	Hardware-Based Solutions	576
16.11.1	Ternary Content Addressable Memory (TCAM)	576
16.12	Lessons Learned	578
16.13	Summary	579
	Further Lookup	579
	Exercises	580
 <b>Part V: Toward Next Generation Routing</b>		 <b>582</b>
<b>17</b>	<b>Quality of Service Routing</b>	<b>584</b>
17.1	Background	585
17.2	QoS Attributes	589
17.3	Adapting Shortest Path and Widest Path Routing: A Basic Framework	590
17.3.1	Single Attribute	590
17.3.2	Multiple Attributes	591
17.3.3	Additional Consideration	592
17.4	Update Frequency, Information Inaccuracy, and Impact on Routing	593
17.5	Lessons from Dynamic Call Routing in the Telephone Network	595
17.6	Heterogeneous Service, Single-Link Case	596
17.7	A General Framework for Source-Based QoS Routing with Path Caching	599
17.7.1	Routing Computation Framework	600
17.7.2	Routing Computation	601
17.7.3	Routing Schemes	602
17.7.4	Results	603
17.8	Routing Protocols for QoS Routing	608
17.8.1	QOSPF: Extension to OSPF for QoS Routing	608
17.8.2	ATM PNNI	609
17.9	Summary	610
	Further Lookup	611
	Exercises	611
<b>18</b>	<b>MPLS and GMPLS</b>	<b>612</b>
18.1	Background	613
18.2	Traffic Engineering Extension to Routing Protocols	614
18.3	Multiprotocol Label Switching	614
18.3.1	Labeled Packets and LSP	616
18.3.2	Label Distribution	619
18.3.3	RSVP-TE for MPLS	619
18.3.4	Traffic Engineering Extensions to OSPF and IS-IS	625

18.4	Generalized MPLS	626
18.4.1	GMPLS Labels	627
18.4.2	Label Stacking and Hierarchical LSPs: MPLS/GMPLS	628
18.4.3	RSVP-TE for GMPLS	629
18.4.4	Routing Protocols in GMPLS	630
18.4.5	Control and Data Path Separation and Link Management Protocol	632
18.5	MPLS Virtual Private Networks	634
18.5.1	BGP/MPLS IP VPN	635
18.5.2	Layer 2 VPN	639
18.6	Summary	640
	Further Lookup	640
	Exercises	641
<b>19</b>	<b>Routing and Traffic Engineering with MPLS</b>	<b>642</b>
19.1	Traffic Engineering of IP/MPLS Networks	643
19.1.1	A Brisk Walk Back in History	643
19.1.2	MPLS-Based Approach for Traffic Engineering	644
19.2	VPN Traffic Engineering	647
19.2.1	Problem Illustration: Layer 3 VPN	647
19.2.2	LSP Path Determination: Constrained Shortest Path Approach	650
19.2.3	LSP Path Determination: Network Flow Modeling Approach	652
19.2.4	Layer 2 VPN Traffic Engineering	656
19.2.5	Observations and General Modeling Framework	657
19.3	Routing/Traffic Engineering for Voice Over MPLS	657
19.4	Summary	660
	Further Lookup	660
	Exercises	660
<b>20</b>	<b>VoIP Routing: Interoperability Through IP and PSTN</b>	<b>662</b>
20.1	Background	663
20.2	PSTN Call Routing Using the Internet	664
20.2.1	Conceptual Requirement	664
20.2.2	VoIP Adapter Functionality	666
20.2.3	Addressing and Routing	666
20.2.4	Service Observations	670
20.2.5	Traffic Engineering	671
20.2.6	VoIP Adapter: An Alternative Scenario	673
20.3	PSTN Call Routing: Managed IP Approach	673
20.4	IP-PSTN Interworking for VoIP	675
20.4.1	Gateway Function	675
20.4.2	SIP Addressing Basics	676
20.4.3	SIP Phone to POTS Phone	677
20.4.4	POTS Phone to SIP Phone	680
20.4.5	PSTN-IP-PSTN	680
20.4.6	Traffic Engineering	683
20.4.7	Relation to Using MPLS	684

20.5	IP Multimedia Subsystem	684
20.5.1	IMS Architecture	685
20.5.2	Call Routing Scenarios	686
20.6	Multiple Heterogeneous Providers Environment	688
20.6.1	Via Routing	688
20.6.2	Carrier Selection Alternative	690
20.7	All-IP Environment of VoIP Services	690
20.8	Addressing Revisited	691
20.9	Summary	692
	Further Lookup	693
	Exercises	694
<b>Appendix A: Notations, Conventions, and Symbols</b>		<b>696</b>
A.1	On Notations and Conventions	697
A.2	Symbols	699
<b>Appendix B: Miscellaneous Topics</b>		<b>700</b>
B.1	Functions: Logarithm and Modulo	701
B.2	Fixed-Point Equation	701
B.3	Computational Complexity	702
B.4	Equivalence Classes	704
B.5	Using CPLEX	704
B.6	Exponential Weighted Moving Average	706
B.7	Nonlinear Regression Fit	707
B.8	Computing Probability of Path Blocking or Loss	708
B.9	Four Factors in Packet Delay	709
B.10	Exponential Distribution and Poisson Process	710
B.11	Self-Similarity and Heavy-Tailed Distributions	712
B.12	Markov Chain and Birth-and-Death Process	713
	B.12.1 Birth-and-Death Process	714
	B.12.2 $M/M/1$ System	715
	B.12.3 Trunk Reservation Model	716
B.13	Average Network Delay	717
B.14	Packet Format: IPv4, IPv6, TCP, and UDP	717
<b>Solutions to Selected Exercises</b>		<b>720</b>
<b>Bibliography</b>		<b>724</b>
<b>Index</b>		<b>768</b>
<b>Part VI: Advanced Topics (Bonus Material on CD-ROM)</b>		<b>1</b>
<b>21</b>	<b>Switching Packets</b>	<b>2</b>
21.1	Generic Switch Architecture	3

21.2	Requirements and Metrics	4
21.3	Shared Backplanes	5
21.3.1	Shared Bus	5
21.4	Switched Backplanes	7
21.5	Shared Memory	7
21.5.1	Scaling Memory Bandwidth	9
21.6	Crossbar	10
21.6.1	Take-a-Ticket Scheduler	12
21.6.2	Factors That Limit Performance	14
21.7	Head-of-Line Blocking	15
21.8	Output Queueing	16
21.9	Virtual Output Queueing	19
21.9.1	Maximum Bipartite Matching	20
21.9.2	Parallel Iterative Matching	22
21.9.3	iSLIP Scheduling	27
21.9.4	Priorities and Multicast in iSLIP	30
21.10	Input and Output Blocking	32
21.11	Scaling Switches to a Large Number of Ports	33
21.12	Clos Networks	34
21.12.1	Complexity of Scheduling Algorithms	37
21.13	Torus Networks	39
21.13.1	Packaging Using Short Wires	42
21.14	Scaling Switches for High-Speed Links	43
21.14.1	Bit Slicing	44
21.14.2	Time Slicing	44
21.14.3	Distributed Scheduling	45
21.15	Conclusions	46
21.16	Summary	47
	Further Lookup	47
	Exercises	48
<b>22</b>	<b>Packet Queueing and Scheduling</b>	<b>2</b>
22.1	Packet Scheduling	3
22.1.1	First-In, First-Out Queueing	3
22.1.2	Priority Queueing	4
22.1.3	Round-Robin and Fair Queueing	5
22.1.4	Weighted Round-Robin and Weighted Fair Queueing	6
22.1.5	Deficit Round-Robin Queueing	8
22.1.6	Modified Deficit Round-Robin Queueing	11
22.2	TCP Congestion Control	11
22.2.1	Slow Start	12
22.2.2	Additive Increase, Multiplicative Decrease	13
22.2.3	Fast Retransmit and Fast Recovery	14
22.3	Implicit Feedback Schemes	15

22.3.1	Drop Position	15
22.3.2	Proactive versus Reactive Dropping	17
22.4	Random Early Detection (RED)	18
22.4.1	Computing Average Length of Queue	20
22.4.2	Computing Drop Probability	20
22.4.3	Setting $Q_{\min}$ and $Q_{\max}$	21
22.5	Variations of RED	22
22.5.1	Weighted Random Early Detection	22
22.5.2	Adaptive Random Early Detection	23
22.6	Explicit Feedback Schemes	26
22.6.1	Choke Packets	26
22.6.2	Explicit Congestion Notification	27
22.7	New Class of Algorithms	29
22.8	Analyzing System Behavior	29
22.9	Summary	30
	Further Lookup	31
	Exercises	31
<b>23</b>	<b>Traffic Conditioning</b>	<b>2</b>
23.1	Service Level Agreements	3
23.2	Traffic Conditioning Mechanisms	4
23.3	Traffic Shaping	5
23.3.1	Leaky Bucket	7
23.3.2	Token Bucket	8
23.4	Traffic Policing	12
23.4.1	Comparing Traffic Policing and Shaping	14
23.5	Packet Marking	14
23.5.1	Graded Profiles	16
23.5.2	Single-Rate Tricolor Marking	17
23.5.3	Two-Rate Tricolor Marking	18
23.6	Summary	19
	Further Lookup	19
	Exercises	20
<b>24</b>	<b>Transport Network Routing</b>	<b>2</b>
24.1	Why Transport Network/Service	3
24.2	Timing of Request and Transport Service Provisioning	5
24.3	Multi-Time Period Transport Network Routing Design	7
24.4	Transport Routing with Varied Protection Levels	14
24.5	Solution Approaches	16
24.6	Summary	17
	Further Lookup	17
	Exercises	17

<b>25</b>	<b>Optical Network Routing and Multilayer Routing</b>	<b>2</b>
25.1	SONET/SDH Routing	3
25.1.1	SONET/SDH Overview	3
25.1.2	Routing in a SONET Ring	5
25.1.3	Routing in SONET/SDH Transport Cross-Connect Networks	7
25.2	WDM Routing	9
25.2.1	WDM Overview	9
25.2.2	Routing in WDM with Full Conversion: Transport Mode	11
25.2.3	No Conversion Case	11
25.2.4	Protection Routing	12
25.2.5	On-Demand, Instantaneous WDM services	12
25.3	Multilayer Networking	13
25.3.1	Overview	13
25.3.2	IP Over SONET: Combined Two-Layer Routing Design	16
25.4	Overlay Networks and Overlay Routing	19
25.5	Summary	20
	Further Lookup	21
	Exercises	22